

University of Stuttgart
Germany

HPI Future SOC Lab Day



Continuous Performance Testing for Microservices

Reliable Software Systems
Institute for Software Technologies
University of Stuttgart, Germany

Vincenzo Ferme
info@vincenzoferme.it

Outline

Outline

1. Continuous Software Development Environments

Outline

- 1. Continuous Software Development Environments**
- 2. Continuous Performance Testing of Microservices:**
 - a. Challenges**
 - b. Our Approach**
 - c. Preliminary Results**
 - d. BenchFlow Automation Framework**

Outline


- 1. Continuous Software Development Environments**
- 2. Continuous Performance Testing of Microservices:**
 - a. Challenges**
 - b. Our Approach**
 - c. Preliminary Results**
 - d. BenchFlow Automation Framework**
- 3. Approach Extensions:**
 - a. ContinULTy Framework**

Outline


- 1. Continuous Software Development Environments**
- 2. Continuous Performance Testing of Microservices:**
 - a. Challenges**
 - b. Our Approach**
 - c. Preliminary Results**
 - d. BenchFlow Automation Framework**
- 3. Approach Extensions:**
 - a. ContinULTy Framework**
- 4. Future Work**

Continuous Software Development Environments


Continuous Software Development Environments




Continuous Software Development Environments



Continuous Software Development Environments



Continuous Software Development Environments



Challenges

Challenges

The system changes frequently:

- Need to keep the test definition updated (manual is not an option)

Challenges

The system changes frequently:

- Need to keep the test definition updated (manual is not an option)

Too many tests to be executed:

- Need to reduce the number of executed tests

Challenges

The system changes frequently:

- Need to keep the test definition updated (manual is not an option)

Too many tests to be executed:


- Need to reduce the number of executed tests

Need to integrate tests in delivery pipelines:



- Need to have complete automation for test execution
- Need to have clear KPIs to be evaluated in the pipeline

Our Approach





Our Approach



Our Approach








Our Approach









1






Our Approach



Our Approach










Our Approach



Deployment Conf.

Sampled Load Tests






Our Approach



Baseline Test







Deployment Conf.

Our Approach



- Scalability Criteria
- Baseline Test
- Deployment Conf.







Our Approach



3

0.12	0.14	0.20	0.16	0.11
✓	✓	Test Results	XX	
Scalability Criteria				
Baseline Test				
Deployment Conf.				

Our Approach



3


0.12 0.14 0.20 0.16 0.11

⊙ ⊙ Test Results ✕ ✕

Scalability Criteria

Baseline Test

Deployment Conf.



0.73


4

Domain Metric


Preliminary Experiments

Preliminary Experiments

12 microservices




Production




Preliminary Experiments

12 microservices



Production



1,2

6 Load Levels


50,100,150,200,250,300
Users

Empirical Distribution of Load situations


Sampled Load Tests

Preliminary Experiments

12 microservices



Production



1,2

6 Load Levels

50,100,150,200,250,300
Users


Empirical Distribution of Load situations

Sampled Load Tests


Custom Op. Mix

Preliminary Experiments

12 microservices



Production



1,2

6 Load Levels

50,100,150,200,250,300
Users


Empirical Distribution of Load situations

Sampled Load Tests

Custom Op. Mix

3


10 configurations




Deployment Config.

Preliminary Experiments

12 microservices



Production



1,2

6 Load Levels

50,100,150,200,250,300
Users


Empirical Distribution of Load situations

Sampled Load Tests

Custom Op. Mix

3

10 configurations




Deployment Config.

Scal = avg + 3σ


Experiments Infrastructure

Virtual Users



32GB RAM, 24 Cores

Experiments Infrastructure



Preliminary Experiments Results

Deployment Configuration: 1 GB RAM, 0.25 CPU, 1 Replica

Preliminary Experiments Results

API	Scalability Criteria (PASS/FAIL)
GET /	PASS
GET /cart	PASS
POST /item	FAIL

Custom Op. Mix

Deployment Configuration: 1 GB RAM, 0.25 CPU, 1 Replica

Preliminary Experiments Results

Scalability Criteria (PASS/FAIL)		Users	Aggr. Rel. Freq.
API		50	0.10582
GET /	PASS	100	0.18519
GET /cart	PASS	150	0.22222
POST /item	FAIL	200	0.22222
		250	0.20370
		300	0.06085

Custom Op. Mix

Aggr. Rel. Freq.

Deployment Configuration: 1 GB RAM, 0.25 CPU, 1 Replica

Preliminary Experiments Results

		Users	Aggr. Rel. Freq.
API	Scalability Criteria (PASS/FAIL)	50	0.10582
GET /	PASS	100	0.18519
GET /cart	PASS	150	0.22222
POST /item	FAIL	200	0.22222
		250	0.20370
		300	0.06085

Custom Op. Mix

Aggr. Rel. Freq.

Contrib. to Domain Metric

Deployment Configuration: 1 GB RAM, 0.25 CPU, 1 Replica

Preliminary Experiments Results

Scalability Criteria (PASS/FAIL)		Users	Aggr. Rel. Freq.	
API		50	0.10582	
GET /	PASS	100	0.18519	Max: 0.20370
GET /cart	PASS	150	0.22222	
POST /item	FAIL	200	0.22222	
		250	0.20370	
		300	0.06085	
Custom Op. Mix		Aggr. Rel. Freq.	Contrib. to Domain Metric	

Deployment Configuration: 1 GB RAM, 0.25 CPU, 1 Replica

Preliminary Experiments Results

Scalability Criteria (PASS/FAIL)		Users	Aggr. Rel. Freq.	
API		50	0.10582	
GET /	PASS	100	0.18519	Max: 0.20370
GET /cart	PASS	150	0.22222	
POST /item	FAIL	200	0.22222	Actual: 0.13580
		250	0.20370	
		300	0.06085	

Custom Op. Mix Aggr. Rel. Freq. Contrib. to Domain Metric

Deployment Configuration: 1 GB RAM, 0.25 CPU, 1 Replica

Preliminary Experiments Results

Deployment Configuration: 1 GB RAM, 0.25 CPU, 1 Replica

Preliminary Experiments Results

Users	Contribution
50	0.10582
100	0.18519
150	0.22222
200	0.07999
250	0.13580
300	0.04729

Contrib. to Domain Metric

Deployment Configuration: 1 GB RAM, 0.25 CPU, 1 Replica

Preliminary Experiments Results

Users	Contribution
50	0.10582
100	0.18519
150	0.22222
200	0.07999
250	0.13580
300	0.04729

Max: 1

Contrib. to Domain Metric

Domain Metric

4

Deployment Configuration: 1 GB RAM, 0.25 CPU, 1 Replica

Preliminary Experiments Results

Users	Contribution
50	0.10582
100	0.18519
150	0.22222
200	0.07999
250	0.13580
300	0.04729

Contrib. to Domain Metric

Max: 1

Actual:

0.77631

Domain Metric

4

Deployment Configuration: 1 GB RAM, 0.25 CPU, 1 Replica

Preliminary Experiments Results

RAM	CPU #	Cart	Replicas	Domain Metric (HPI)
0.5 GB	0.25		1	0.61499
1 GB	0.25		1	0.77631
1 GB	0.5		1	0.53559
0.5 GB	0.5		1	0.51536
0.5 GB	0.5		2	0.50995
1 GB	0.25		2	0.74080
1 GB	0.5		2	0.53401
0.5 GB	0.5		4	0.50531
1 GB	0.25		4	0.37162
1 GB	0.5		4	0.56718


Preliminary Experiments Results

RAM	CPU #	Cart	Replicas	Domain Metric (HPI)
0.5 GB	0.25		1	0.61499
1 GB	0.25		1	0.77631
1 GB	0.5		1	0.53559
0.5 GB	0.5		1	0.51536
0.5 GB	0.5		2	0.50995
1 GB	0.25		2	0.74080
1 GB	0.5		2	0.53401
0.5 GB	0.5		4	0.50531
1 GB	0.25		4	0.37162
1 GB	0.5		4	0.56718


Preliminary Experiments Results

RAM	CPU #	Cart Replicas	Domain Metric (HPI)
0.5 GB	0.25	1	0.61499
1 GB	0.25	1	0.77631
1 GB	0.5	1	0.53559
0.5 GB	0.5	1	0.51536
0.5 GB	0.5	2	0.50995
1 GB	0.25	2	0.74080
1 GB	0.5	2	0.53401
0.5 GB	0.5	4	0.50531
1 GB	0.25	4	0.37162
1 GB	0.5	4	0.56718



BenchFlow Automation Framework





BenchFlow Automation Framework





BenchFlow Automation Framework





BenchFlow Automation Framework





BenchFlow Automation Framework





BenchFlow Automation Framework




BenchFlow Automation Framework




BenchFlow Automation Framework




BenchFlow Automation Framework




BenchFlow Automation Framework




BenchFlow Automation Framework



BenchFlow Automation Framework



BenchFlow Automation Framework



 <https://github.com/benchflow>

BenchFlow Automation Framework

Generation

[Ferme et al.]

Vincenzo Ferme and Cesare Pautasso. A Declarative Approach for Performance Tests Execution in Continuous Software Development Environments. In Proc. of ICPE 2018, 261-272.

BenchFlow Automation Framework

**Test
Generation**

Generation

[Ferme et al.]

Vincenzo Ferme and Cesare Pautasso. A Declarative Approach for Performance Tests Execution in Continuous Software Development Environments. In Proc. of ICPE 2018, 261-272.

BenchFlow Automation Framework

Test Bundle




**Test
Generation**

Generation

[Ferme et al.]

Vincenzo Ferme and Cesare Pautasso. A Declarative Approach for Performance Tests Execution in Continuous Software Development Environments. In Proc. of ICPE 2018, 261-272.


BenchFlow Automation Framework



[Ferme et al.]

Vincenzo Ferme and Cesare Pautasso. A Declarative Approach for Performance Tests Execution in Continuous Software Development Environments. In Proc. of ICPE 2018, 261-272.


BenchFlow Automation Framework



[Ferme et al.]

Vincenzo Ferme and Cesare Pautasso. A Declarative Approach for Performance Tests Execution in Continuous Software Development Environments. In Proc. of ICPE 2018, 261-272.


BenchFlow Automation Framework



[Ferme et al.]

Vincenzo Ferme and Cesare Pautasso. A Declarative Approach for Performance Tests Execution in Continuous Software Development Environments. In Proc. of ICPE 2018, 261-272.


BenchFlow Automation Framework



[Ferme et al.]

Vincenzo Ferme and Cesare Pautasso. A Declarative Approach for Performance Tests Execution in Continuous Software Development Environments. In Proc. of ICPE 2018, 261-272.

BenchFlow Automation Framework




[Ferme et al.]



Vincenzo Ferme and Cesare Pautasso. A Declarative Approach for Performance Tests Execution in Continuous Software Development Environments. In Proc. of ICPE 2018, 261-272.

Approach: Summary

Approach: Summary





Approach: Summary



1,2



Sampled Load Tests

Approach: Summary



Sampled Load Tests

1,2





Scalability Criteria

Baseline Test



Deployment Conf.

Approach: Summary



Sampled Load Tests

1,2



3

0.73

Scalability Criteria

Baseline Test



Deployment Conf.

4




Domain Metric


Approach: Summary



1,2



3



BenchFlow

Sampled Load Tests

Examples of Use of Domain Metric KPI:

- 1. Decide if the system is ready for deployment

0.73

Scalability Criteria

Baseline Test



Deployment Conf.

4




Domain Metric

Approach: Summary



Sampled Load Tests




Examples of Use of Domain Metric KPI:

1. Decide if the system is ready for deployment
2. Assess different deployment configurations


0.73

Domain Metric


4




Approach: Summary





Approach: Summary




Approach: Summary



Approach: Summary



Sampled Load Tests




Examples of Use of Domain Metric KPI:

1. Decide if the system is ready for deployment
2. Assess different deployment configurations



0.73

Domain Metric

4




Approach: Summary



Sampled Load Tests

1,2



3



Examples of Use of Domain Metric KPI:

1. Decide if the system is ready for deployment
2. Assess different deployment configurations
3. Configure scaling plans and autoscalers





0.73

Domain Metric


4




Approach: Extensions



1



2




0.12 0.14 0.20 0.16 0.11
⊙ ⊙ Test Results ✕ ✕

Scalability Criteria

Baseline Test

Deployment Conf.

3








0.73

4


Domain Metric

Approach: Extensions



1

0.73






0.12 0.14 0.20 0.16 0.11
⊙ ⊙ Test Results × ×

Scalability Criteria

Baseline Test

Deployment Conf.








2

4


Domain Metric

Approach: Extensions



Sampled Load Tests

0.73



0.12 0.14 0.20 0.16 0.11
⊙ ⊙ Test Results × ×


Scalability Criteria

Baseline Test

Deployment Conf.

Domain Metric


ContinuTy Framework



[Schulz et al.]

Henning Schulz, Tobias Angerstein, and André van Hoorn. Towards Automating Representative Load Testing in Continuous Software Engineering. In Proc. of ICPE 2018 Companion. 123-126.


ContinuTy Framework



[Schulz et al.]

Henning Schulz, Tobias Angerstein, and André van Hoorn. Towards Automating Representative Load Testing in Continuous Software Engineering. In Proc. of ICPE 2018 Companion. 123-126.




ContinuTy Framework



[Schulz et al.]

Henning Schulz, Tobias Angerstein, and André van Hoorn. Towards Automating Representative Load Testing in Continuous Software Engineering. In Proc. of ICPE 2018 Companion. 123-126.


ContinuTy Framework



Workload Model

[Schulz et al.]
Henning Schulz, Tobias Angerstein, and André van Hoorn. Towards Automating Representative Load Testing in Continuous Software Engineering. In Proc. of ICPE 2018 Companion. 123-126.


ContinuTy Framework



[Schulz et al.]

Henning Schulz, Tobias Angerstein, and André van Hoorn. Towards Automating Representative Load Testing in Continuous Software Engineering. In Proc. of ICPE 2018 Companion. 123-126.

ContinuTy Framework



[Schulz et al.]

Henning Schulz, Tobias Angerstein, and André van Hoorn. Towards Automating Representative Load Testing in Continuous Software Engineering. In Proc. of ICPE 2018 Companion. 123-126.

Future Work

Future Work

Automated update of tests definition:

- Automatically update load levels, API calls, operations mix

Future Work

Automated update of tests definition:

- Automatically update load levels, API calls, operations mix

Declarative Definitions for Load Testing:

- Make performance engineering activities more accessible

Future Work

Automated update of tests definition:

- Automatically update load levels, API calls, operations mix

Declarative Definitions for Load Testing:

- Make performance engineering activities more accessible

Declarative Performance Test Regression:

- Extend the proposed approach to continuously assess regressions in performance and PASS/FAIL CI/CD pipelines

Future Work

Automated update of tests definition:

- Automatically update load levels, API calls, operations mix

Declarative Definitions for Load Testing:

- Make performance engineering activities more accessible

Declarative Performance Test Regression:

- Extend the proposed approach to continuously assess regressions in performance and PASS/FAIL CI/CD pipelines

Prioritisation and Selection of Load Tests:

- Exploit performance models to reduce even more the # of tests

Highlights

Challenges

The system changes frequently:

- Need to keep the test definition updated

Too many tests to be executed:

- Need to reduce the number of executed tests

Need to integrate tests in delivery pipelines:

- Need to have complete automation for test execution
- Need to have clear KPIs to be evaluated in the pipeline

4

Challenges

Highlights

Challenges

The system changes frequently:

- Need to keep the test definition updated

Too many tests to be executed:

- Need to reduce the number of executed tests


Need to integrate tests in delivery pipelines:

- Need to have complete automation for test execution
- Need to have clear KPIs to be evaluated in the pipeline

4

Challenges

Our Approach



Our Approach

Highlights

Challenges

- The system changes frequently:**
 - Need to keep the test definition updated
- Too many tests to be executed:**
 - Need to reduce the number of executed tests
- Need to integrate tests in delivery pipelines:**
 - Need to have complete automation for test execution
 - Need to have clear KPIs to be evaluated in the pipeline

4

Challenges

Our Approach

5


Our Approach

Preliminary Experiments


6

Preliminary Experiments


Highlights




Challenges



Our Approach



Preliminary Experiments



Extensions and Future Work